

KREMENS



ROUND BORKIA

page 34



SQUARE BORKIA

page 50




LINEAR

page 61



DOGATO

page 74




PRATIKO

page 88



Loading test method for shelf brackets

- Two uprights KC01 properly fastened on the wall at 600 mm distance
- A 800 mm shelf, put on central saddle (KF12)
- The weight is positioned at half-length and half-depth of the shelf
- The figures shown on the table are the half of the value at the moment of first breakages during the test




Length	Height	Hooks Nr.	Weight	Unit
180 mm.	58	2	Kg. 80	kg. 50
230 mm.	61	2	Kg. 80	kg. 50
280 mm.	65	2	Kg. 80	kg. 50
330 mm.	95	3	Kg. 80	kg. 50
380 mm.	101	3	Kg. 80	kg. 50

Legenda finiture


- Steel**
 - Chrome = CL
 - Matt Chrome = CO
 - Glossy Gold = OL
 - Aluminium Painted = VA
 - Stainless steel satin = IS
 - Zinc steel = ZI
 - Nickel satin = NS
- Aluminium**
 - Raw aluminium = GR
 - Silver-anodized = AA
 - Gold-anodized = AO
 - Black-anodized = AN

Spacing 37 mm




Linear K system



Aluminium uprights with raised front edge



Wooden panel thickness mm 18-19



Glass panel thickness mm 5-6





KC11

Rails for fitting-out panelling

Single slot, 37 mm spacing
Suitable for panelling with all the accessories of Kremens Line

Upright available with Ø 5 mm holes, 285 mm spacing.
(1st hole at 15 mm from the bottom)

Length: 2492 - 3012 mm
Finishing: AA-AN
Pack: 10 pcs.





KC12

Central double aluminium upright

Double slot, 37 mm spacing
Suitable for panelling with all the accessories of Kremens Line

Upright available with Ø 5 mm holes, 285 mm spacing.
(1st hole at 15 mm from the bottom)

Length: 2492 - 3012 mm
Finishing: AA-AN
Pack: 10 pcs.





KC13

Lateral single aluminium upright

For terminal or angular elements
Single slot, 37 mm spacing
Suitable for panelling with all the accessories of Kremens line

Upright available with Ø 5 mm holes,
285 mm spacing.
(1st hole at 15 mm from the bottom)


Length: 2492 - 3012 mm.
Finishing: AA-AN
Pack: 10 pcs



KC31

Vertical / horizontal aluminium profile
for 5-6 mm tks. glass panelling
suitable for KC11, KC12, KC13, DLK6, DLK8

Length: mt 3
Finishing: AA-AN
Pack: 10 pcs.





KC32G

Plastic profile
for 5-6 mm tks. glass panelling

Length: mt 3
Finishing: grey
Pack: 10 pcs.

Structural aluminium profiles



KC01

Rails for fitting-out panelling



Single slot, 37 mm spacing
Suitable for panelling with all the accessories of Kremens Line

Upright available with Ø 5 mm holes, 285 mm spacing.
(1st hole at 15 mm from the bottom)

Length: 2492 - 3012 mm

Finishing: AA

Pack: 10 pcs



KC02

Central double aluminium upright



Double slot, 37 mm spacing
Suitable for panelling with all the accessories of Kremens Line

Upright available with Ø 5 mm holes, 285 mm spacing.
(1st hole at 15 mm from the bottom)

Length: 2492 - 3012 mm

Finishing: AA

Pack: 10 pcs



KC03

Lateral single aluminium upright

For terminal or angular elements
Single slot, 37 mm spacing
Suitable for panelling with all the accessories of Kremens line


Upright available with Ø 5 mm holes, 285 mm spacing.
(1st hole at 15 mm from the bottom)

Length: 2492 - 3012 mm.

Finishing: AA

Pack: 10 pcs

Profiles for clip-on panelling



KC20


Raw aluminium double profile

Profile available with Ø 5 mm holes

Length: 3000 mm

Finishing: GR

Pack: 10 pcs



KC21



Raw aluminium single profile

Profile available with Ø 5 mm holes

Length: 3000 mm

Finishing: GR

Pack: 10 pcs




KC25.AA

Inner angular aluminium profile

Finishing: AA

Length: 3000 mm

Pack: 4 pcs



KC26.AA



Outer angular aluminium profile

Length: 3000 mm

Finishing: AA

Pack: 4 pcs

Profiles for clip-on panelling





KC23.19

**Aluminium double profile
with 3 mm edge**

For panelling with 19 mm wooden panels

Finishing: AA
Length: 3000 mm
Pack: 4 pcs




KC24.19

**Aluminium side profile
with 3 mm edge**

For panelling with 19 mm wooden panels

Finishing: AA
Length: 3000 mm
Pack: 4 pcs



KF01



Fixing clip

Stainless steel clip for fastening
the wooden panel on the upright

Pull-out: 12 kg
Suitable for aluminium profile type
• KC01 • KC20 • KC24
• KC02 • KC21 • KC07
• KC03 • KC23


Pack: 50 pcs.

Fastening procedure



1st step


Take a lateral profile (KC03) and put it on the wall at the fixed starting point. Check that the upright and the wall are perfectly vertical with a plumb line. If necessary use adjustable wall distance bolts and fasten the upright to the wall.



2nd step

Take a wooden panel and fix 6 stainless steel clips (KF01). Take the second upright (KC01 or KC02) and plug-in it directly to the clips on the back of the wooden panel. Thus the panel works as a "guide" to fasten correctly the second upright to the wall.

3





3rd step

Now plug-in the panel on the first upright - already fixed to the wall - using the clips on the free side.

Fasten the KC01 (or KC02) profile with wall bolts, using the holes of the visible part of the upright.

Take out the wooden panel a complete the fixing at the wall on the other side of the double upright.






Application examples: fastening procedures for upright KC01

A = Half-visible joint

B = Invisible joint

C = Visible joint

Finishing aluminium profiles





KC30

Covering aluminium profile for upright

Suitable for aluminium profile type:
KC01 - KC02 - KC03
Allows a smart finishing of the
wall-structure without wooden panels

Length: 3012 mm
Finishing: AA
Pack: 10 pcs






KC07

Horizontal aluminium profile

Finishing: AA
Length: 3000 mm
Pack: 10 pcs

Suitable for application with vertical
uprights, such as KC01 - KC02 - KC03
Allows the insertion of horizontal
elements into a vertical system
All the accessories shown at pages 8-9
can be used with KC07 profile



ACCESSORI PER KC07



KC070

Small aluminium hook


Size: L. 15 mm ; H. 45 mm
 Finishing: AA
 Pack: 10 pcs



KC071

Aluminium hook

Length: 250 - 300 mm
 Finishing: AA
 Pack: 10 pcs



KC072

Horizontal CD holder, for 26 CDs

Size: L. 444 mm ; D. 145 mm ; H. 45 mm
 Finishing: AA
 Pack: 1 pc



KC073

Vertical CD holder, for 20 CDs

Size: L. 130 mm ; D. 103 mm ; H. 400 mm
 Finishing: AA
 Pack: 1 pc

ACCESSORI PER KC07



KC074

Clothes hook

Size: L. 45 mm ; H. 61 mm

Finishing: AA

Pack: 1 pcs




KC075

Clothes hook - 3 hooks

Size: L. 450 mm ; H. 61 mm

Finishing: AA

Pack: 1 pcs



KC076

Metal tidy

Size: L. 320 mm ; D. 107 mm ; H. 73 mm

Finishing: AA

Pack: 1 pc



KC077

Metal paper tray


Size: A) L. 480 mm ; D. 320 mm ; H. 73 mm

B) L. 320 mm ; D. 255 mm ; H. 73 mm

Finishing: AA

Pack: 1 pc

KREM-ELEKTRA-SLIDE



The innovative lighting system Krem-Elektra-Slide allows a perfect brightness of the objects laying on the shelves, hiding at the same time the electrical wires.

Moreover, it's possible to move the shelves in different positions (up/down) without moving the cables and electrical connectors.

The whole electrical system is totally invisible.

The aluminium profile KC08 can include the aluminium electrified rail "Elektra Slide".

Special "mini-adapter" (art. EK.531.889.01) slide along the rail: they can move along the whole lenght of Elektra-Slide rail (art. EK.531.891.01).

The "mini-adapters" hold the "mini-connectors" (art. EK.532.672.01), only 7mm Ø.

Only 8 mm space between two wooden panels and stil we have the possibilty to lighten display shelves.



Mini-adapters and mini-connectors can be moved simply using a plastic pen.



● EK.531.891.01

"Elektra-Slide" aluminium electrified rail
230 V - 10 A

Size: 32x16 mm
Lenght: 1500 - 2000 mm
Finishing: AA
Electrical wire: 2000 mm
Pack: 1 pc



■ KC08


"Elektra-Slide" aluminium profile

Spacing 37 mm, hole width 8 mm

Length: 2492 - 3012 mm

Finishing: AA - AN

Pack: 4 pcs



■ EK.531.889.01

"Elektra-Slide" mini-adapter

230 V - 2,5 A

Finishing: white

Pack: 1 pc



■ EK.532.672.01

"Elektra-Slide" mini-connector



230 V - 2,5 A

Length: 1000 - 2000 mm


Finishing: white

Pack: 1 pc

Rails for fitting-out panelling



wooden panel



This aluminium profile is very strong.
It prevents lateral brackets' oscillations.

The position of the slots is 16 mm from the
front side of profile.
Thus the slots are not visible.

The uprights have to be fastened directly
on the wooden panel.

KC05

Aluminium single upright for back fastening

Single slot, 37 mm spacing.
Fastening directly on the wooden
panel. To hang the panel on the wall
with the hook KC05.S

Length: 3012 mm

Finishing: AA

Pack: 4 pcs.

KC05.S

Hanger for KC05

Special hook for fastening the back
of the KC05 profile

Thickness: 3 mm

Finishing: ZI

Pack: 10 pcs.

KC05.T



End metal cap for KC05

End metal cap to cover the end of
the cut of the wooden panel

Finishing: VA

Pack: 10 pcs.

Aluminium double upright for back fastening



KC06

Aluminium double upright for back fastening

Double slot, 37 mm spacing
Fastening directly on the wooden
panel. To hang the panel on the wall
with the hook KC05.S

Length: 3012 mm

Finishing: AA

Pack: 4 pcs.

KC06.T



End metal cap for KC06

End metal cap to cover the end of
the cut of the wooden panel

Finishing: VA

Pack: 10 pcs.

Rails for fitting-out panelling





KC04

"U" shape aluminium upright

Suitable for application on milled panels, or directly on the wall

The upright is available with Ø 3,5 mm holes, 259 mm spacing.
(1st hole at 15 mm from the bottom)



Length: 2011 - 3012 mm
Finishing: AA
Pack: 10 pcs



67.MS

Aluminium single upright


Length: 3012 mm
Finishing: AA
Pack: 10 pcs



67.R

Aluminium single upright with 20 mm edge


Length: 3012 mm
Finishing: AA
Pack: 10 pcs



67PLO

Transparent acrylic glasses-holder

Pack: 10 pcs



KF11.TR

KF12.TR



Transparent acrylic saddle
(suction pad apart)

Size:

KF12.TR: central fastener - mm 58 x 12

KF11.TR: side fastener - mm 32 x 12

Pack: 50 pcs.



KF11

KF12

Metal saddle
(suction pad apart)


Size:

KF12: central fastener - mm 48 x 12

KF11: side fastener - mm 26 x 12

Finishing: CL - VA - ZI

Pack: 50 pcs.



KF13


Aluminium fastener for panels

AC: central fastener

AL: side fastener

Finishing: AA

Pack: 50 pcs.



KF14

Transparent acrylic fastener for panels


TC: central fastener

TD: right fastener


TS: left fastener

Pack: 50 pcs.



Shelf brackets



■ Type A: 2 hooks for brackets until 280 mm lenght



■ Type B: 3 hooks for brackets over 280 mm lenght





■ KM01

Alu shelf bracket "VELA"
thickness 25/10

Lenght: type A (2 hooks) mm 180-230-280
type B (3 hooks) mm 330-380

Finishing: CL - CO - OL - VA - AA - AO
Pack: 20 pcs.





■ KM02

Alu shelf bracket "VELA" with holes
thickness 25/10

Lenght: type A (2 hooks) mm 180-230-280
type B (3 hooks) mm 330 - 380

Finishing: CL - CO - OL - VA - AA - AO
Pack: 20 pcs.

Shelf brackets




■ KM03

Alu shelf bracket "MEZZALUNA" thickness 25/10

Lenght: type A (2 hooks) mm 180-230-280
type B (3 hooks) mm 330-380

Finishing: CL - CO - VA - AA - AO
Pack: 20 pcs.




■ KM04

Standard alu shelf bracket thickness 25/10

Lenght: type A (2 hooks) mm 140-200-280
type B (3 hooks) mm 330-380

Finishing: CL - CO - VA - AA - AO
Pack: 20 pcs.





■ KM05

Side fastening shelf bracket R-L thickness 20/10

Lenght: type A (2 hooks) mm 280
type B (3 hooks) mm 370
Height C: mm 30

Finishing: CL - CO - VA
Pack: 10 pairs

Shelf brackets




■ KM19

Bracket "Sponda 130"

Height: mm 130
Lengths: mm 38 - 450

Finishing: AA-VA
Pack: 5 pairs




■ KM08

Folded shelf bracket (R / L) thickness 20/10

Length: type A (2 hooks) mm 230 - 310
type B (3 hooks) mm 380

Finishing: CO - VA
Pack: 20 pcs.





■ KM09D

Alu shelf bracket "VELA" with Right / Left folding thickness 20/10

Length: type A (2 hooks) mm 310
Finishing: CO - VA - AA
Pack: 20 pcs.

Shelf brackets





■ KM09 C

**Alu shelf bracket "VELA"
with central folding
thickness 20/10**

Lenght: type A (2 hooks) mm 310
Finishing: CO - VA - AA
Pack: 20 pcs.

Shelf brackets for hanging bar



■ KM20C

**Central shelf bracket for hanging bar
thickness 20/10**



For oval tube mm 15x30 (KT01)

Lenght: type B (3 hooks) mm 310
Finishing: CL - CO - VA
Pack: 20 pcs.



■ 68.0250.9

Anti-drift cylinders





■ KM20D - right KM20S - left

**Shelf bracket (R / L) for hanging bar
thickness 20/10**

For oval tube mm 15x30 (KT01)
Two small expansion-cylinders to
fasten the oval tube.

Lenght: type B (3 hooks) mm 310
Finishing: CL - CO - VA
Pack: 20 pcs.

Shelf brackets for hanging bar



■ KM08A

Folded shelf bracket (R / L)



thickness 20/10

for round tube Ø 25 mm (BT41)

Lenght: type B (3 hooks) mm 380

Finishing: CL - CO - VA

Pack: 10 pairs



■ KM21

Shelf bracket for oval tube mm 15 x 30

for oval tube mm 15x30 (KT01)

Lenght: type B (3 hooks) mm 380

Finishing: CL - CO

Pack: 20 pcs.





■ KM21S

Metal support with rubber

for oval tube mm 15x30 (KT01)

Finishing: CL - CO

Pack: 20 pcs.



■ KM23 A

Shelf bracket "VELA"

for oval tube mm 15x30 (KT01)




thickness 25/10

Lenght: type B (3 hooks) mm 380

Finishing: CL - CO - VA

Pack: 20 pcs.




Shelf brackets for hanging bar



■ KM24A

Shelf bracket "VELA" with holes
for oval tube mm 15x30 (KT01)
thickness 25/10




Lenght: type B (3 hooks) mm 380
Finishing: CL - CO - VA
Pack: 20 pcs.



■ KM25

Shelf bracket "VELA" (R / L)
for oval tube mm 15x30 (KT01)
Expansion-cylinders to fasten
the oval tube.
thickness 25/10

Lenght: type B (3 hooks) mm 380
Finishing: CL - CO - VA
Pack: 20 pcs.





■ KM26

Shelf bracket "VELA" (R/L) with holes
for oval tube mm 15 x 30
Expansion-cylinders to fasten
the oval tube.
thickness 25/10

Lenght: type B (3 hooks) mm 380
Finishing: CL - CO - VA
Pack: 20 pcs.

Accessories




■ KM53

Reversible fixing folded lug

Lenght A: mm 0 (straight) - 4 - 8 - 12 mm

Finishing: ZI

Pack: 10 pcs.





■ KM53.00

Reversible fixing lug

Finishing: ZI

Pack: 10 pcs.



■ KM51S


Glass holder with screw

With threaded hole 4 MA and screw

Lenght K: mm 11

Finishing: CL - CO - VA

Pack: 10 pcs.




Art. 71.1222

Glass holder
Finishing: CL-NS



Art. 71.1424

Glass holder
Finishing: CL-NS



Art. 4190

Glass holder
Finishing: CL-CO



Shelf brackets



■ KM30D-KM30S

Reclining shelf bracket (R /L)
0° - 15° - 30° - 45°



Lenght: type B (3 hooks) mm 280
Finishing: VA - CO
Pack: 10 pcs.



■ KM55

Foldaway shelf bracket
Round tube Ø 16 mm

Lenght: Ø 16 x 180 mm
Finishing: ZI
Pack: 10 pcs.




■ KM54

Foldaway shelf bracket
Round tube Ø 12 mm
Max load: 25 kg

Lenght: Ø 12 x 140 mm
Finishing: VA
Pack: 10 pcs.


Hanging bars



KB01 A

**Pair of support brackets
for hanging bar mm 30x15 (KT01)**
Expansion-cylinders to fasten
the oval tube.

Lenght: mm 50
Finishing: CL - CO - VA
Pack: 10 pairs



KB01C



**Central support
for hanging bar mm 30x15 (KT01)**

Lenght: mm 50
Finishing: CL - CO - VA
Pack: 10 pcs



68.0250.9

Anti-drift cylinders




KB01D

**Support for hanging bar
mm 30x15 (KT01)**

The oval tube can be fixed by a screw

Finishing: CL - CO - NS
Pack: 10 pcs

Hanging bars



KT5

KT7

KT1

Oval tube mm 30x15

Thickness 15/10

Length: mm 1000 - 1200 - 3000

Finishing: CL - CO - VA

Pack: 10 pcs

KT5

End cap for oval tube mm 30x15

Finishing: CL - CO - NS

Pack: 20 pcs




KT7

End cap with standstill for oval tube mm 30x15

Finishing: CL - CO - NS

Pack: 20 pcs



KB02



Rod arm Ø 6 mm

Length: 100-150-200-250-300 mm

Finishing: CL - CO - NS - VA

Pack: 10 pcs

Rod, straight, sloping arms for oval tube



KB03

Rod arm Ø 10 mm with disc

Length: 250 - 300 - 350 mm

Finishing: CL - CO - NS - VA

Pack: 10 pcs


Rod, straight, sloping arms for oval tube



KB04

Straight arm with pin


Length: 380 mm
Finishing: CL - CO - NS - VA
Pack: 10 pcs



KB05

Sloping arm with pins

Length: 380 mm
Finishing: CL - CO - NS - VA
Pack: 10 pcs





KB06

Sloping arm with grooves

Length: 380 mm
Finishing: CL - CO - VA
Pack: 10 pcs


Rod, straight, sloping arms for oval tube



KB07

Stepped front arm



Length: 350 mm
Finishing: CL - NS
Pack: 5 pcs



KB11

Curved arm Ø 6 with 7 balls



Length: 250 mm
Finishing: CL - NS
Pack: 25 pcs



KM07D - KM07S

10 mm th. glass shelf bracket (R / L) thickness 20/10

Length: type A (2 hooks) mm 280
Finishing: VA
Pack: 20 pcs.



■ KM41



Concave straight arm with standstill

Length: mm 310

Finishing: CL-VA

Pack: 5 pcs.

With steady joint for uprights KC11-KC12-KC13



■ KM42



Convex straight arm with standstill

Length: mm 310

Finishing: CL-VA

Pack: 5 pcs.

With steady joint for uprights KC11-KC12-KC13



■ KM43


T-shape straight arm with standstills

Length: mm 310x400 (largeness)

Finishing: CL-VA

Pack: 1 pcs.



With steady joint for uprights KC11-KC12-KC13



■ KM13

Glass shelf bracket with O-ring



Glass thickness: mm 8-10
Length: mm 100
Finishing: CL-VA
Pack: 10 pairs



■ KM14

Glass shelf bracket with O-ring

Glass thickness: mm 8-10
Length: mm 100
Finishing: CL-VA
Pack: 10 pairs




■ KM40

T-shape glass shelf bracket with standstill

Glass thickness: mm 10
Length: mm 300x300
Finishing: CL-VA
Pack: 1 pc.

KREMENS

page 2



ROUND BORKIA



SQUARE BORKIA

page 50




LINEAR

page 61



DOGATO

page 74




PRATIKO

page 88




New Round face-out fitting "Borkia" BR



BR01

Diecast round face-out fitting with sliding covering

The hole is covered by a sliding covering when the accessory is not plug in.



BR02.T

New Round Borkia BR can be equipped with a covering ring (art. BR02T), different finishing.

FASTENING

Take a wooden panel 18 - 19 mm thickness, insert the New Round Borkia BR from the back and fix it with 4 screws Ø 4x16 mm.




Pay attention to the position of the fitting: the hook of the fitting's back-plate turns down.

Fasten a zinc bar for wall cupboard (art. 4620) to the wall.

Now hang the panel at the zinc bar.

Loading test Round Borkia BR

The figures shown on the table is the half of the value at the moment of the first breakages during the test



Finishing table

CL = Chrome



CO = Matt chrome

NS = Nickel satin

IS = Stainless steel satin

ZI = Zinc steel

New Round face-out fitting Borkia BR



BR01

Diecast round face-out fitting with sliding covering

Hole on wooden panel Ø 26 mm
Wooden panel thickness 18-19 mm



Finishing: CL - CO - NS
Pack: 20 pcs

BR01S

Metal plate 2,5 mm thickness

To use together with BR01.
Allows the front-edge of the fitting staying at the same level of wooden panel

Finishing: ZI
Pack: 20 pcs




BR02

Diecast round face-out fitting with sliding covering with threaded front-edge

Hole on wooden panel Ø 26 mm
Wooden panel thickness 18-19 mm

Finishing: CL - CO - NS
Pack: 20 pcs




BR02.T

Covering ring, to screw on Borkia BR02

Size: Ø 30 - Ø 35 mm
Finishing: CL - CO - IS
Pack: 20 pcs

Brackets and supports




BR11

Wooden shelf bracket

Round tube Ø 20 mm,
with 2 flared holes 4MA

Length: 310 - 360 mm
Finishing: CL - CO - IS
Pack: 10 pcs




BR12

Glass shelf bracket with disc Ø 30 mm

Round tube Ø 20 mm,
with suction pads

Length: 310 - 360 mm
Finishing: CL - CO - IS
Pack: 10 pcs




BR13

Glass shelf bracket

Round tube Ø 20 mm,
with suction pads

Length: 310 - 360 mm
Finishing: CL - CO - IS
Pack: 10 pcs

Brackets and supports



BR11S


Foldaway wooden shelf bracket

Round tube $\varnothing$ 20 mm, with back-plate with 2 flared holes 4MA

Length: $\varnothing$ 16 x 180 mm

Finishing: ZI

Pack: 10 pcs



BR21


Straight arm with pin

Round tube $\varnothing$ 20 mm

Length: 100 - 210 - 310 mm

Finishing: CL - CO - IS

Pack: 10 pcs



BR22

Straight arm with disc $\varnothing$ 30 mm


Round tube $\varnothing$ 20 mm

Length: 100 - 210 - 310 mm

Finishing: CL - CO - IS

Pack: 10 pcs

Arms and supports





BR24

Rod arm Ø 8 mm

Round tube Ø 20 mm

Length: 200 - 300 mm
Finishing: CL - CO - IS
Pack: 10 pcs



BR19


Glass holder

Round tube Ø 20 mm

Type A: thickness 5 / 16 mm
Type B: thickness 4 / 10 mm

Finishing: CL - NS
Pack: 2 pcs

BR19S



BR20


Glass holder

Round tube Ø 20 mm

Glass thickness 8 / 10 mm

Size: Ø 30 x 50 mm
Finishing: CL - CO - NS
Pack: 10 pcs

Arms and supports



BR30



Sloping arm with 7 balls

Round tube Ø 20 mm

Length: 330 mm

Finishing: CL - CO - IS

Pack: 10 pcs



BR44

Arm for round tube display bar, with shelf supports

Suitable for glass shelf
(with suction pads)



Suitable for wooden shelf
(with threads 6MA)

Round tube Ø 20 mm

Length: 330 mm

Finishing: CL - CO - IS

Pack: 10 pcs



BR43

Arm for round tube display bar Ø 25

Round tube Ø 20 mm


Length: 330 mm

Finishing: CL - CO - IS

Pack: 10 pcs





Display bars



BT41T

**End round tube Ø 25 mm,
with disc Ø 35 mm**

Length: 147 mm
Finishing: CL - CO - IS
Pack: 20 pcs



BT41

**Round display bar Ø 25 mm,
with 2 threaded nuts 8MA**

Length: 597 mm
Finishing: CL - CO - IS
Pack: 10 pcs




BR50

Oval tube display bar support
For oval tube hanging bar mm 30x15

Finishing: CL - CO - IS
Pack: 10 pcs



Display bars



KT1

Oval tube mm 30x15

Thickness 15/10

Length: mm 1000 - 1200 - 3000

Finishing: CL - CO - NS

Pack: 10 pcs



KT5

End cap for oval tube mm 30x15

Finishing: CL - CO - NS

Pack: 20 pcs



KT7

**End cap with standstill
for oval tube mm 30x15**

Finishing: CL - CO - NS

Pack: 20 pcs

Oval tube hanging bar example

Support BR50 - 2 pcs


Oval tube KT1 - 1 pc

End cap KT5 - 2 pcs

Rod arm KB03 - 3 pcs



Round face-out fitting Borkia BT



BT01

Diecast round face-out fitting

The back of the round head is provided of two small pins.

This prevent the rotation of the fitting when turn the exagonal nut.

Size: Head Ø 30 mm

Pivot Ø 16 x 30 mm

Hole on wooden panel Ø 16 mm

Wooden panel thickness 18 - 19 mm

Finishing: CL - CO - NS



Pack: 20 pcs

Fastening

Pay attention to the perpendicular position of the two slots on the surface of the fitting.

Then fix the fitting with the flat washer (BT02.R) and the nut (BT02.D), using a spanner.

To make this phase easier utilize the special spanner (item code BT01.XX)




BT02.D

Zinc hexagonal nut M16x1,5

BT02.R

Zinc flat washer Ø 16 / 48 mm



BT01.XX

Spanner for Borkia BT assembling


Allows a perfect vertical position of fittings and avoids fitting rotation when turn the nut.

Alternative fastening:

The use of the round plate BT03.T6 allows an alternative more robust way to fix the fitting.

BT03.T6

Support round plate
Ø 60x4 mm
with 4 flared holes
Ø 4 mm



Finishing table

CL = Chrome

CO = Matt chrome




NS = Nickel satin

IS = Stainless steel satin


ZI = Zincked steel

Loading test Round Borkia BT

The figures shown on the table is the half of the value at the moment of the first breakages during the test



Brackets



BT11

Wooden shelf bracket

Round tube Ø 16, with 2 flared holes 4MA

Length: 310 - 360 mm

Finishing: CL - CO - NS

Pack: 10 pcs

BT11S

Foldaway wooden shelf bracket

Round tube Ø 16

Length: Ø 16 x 180 mm

Finishing: ZI

Pack: 10 pcs

BT11AK



Wooden shelf bracket with ring for hanging rail

Round tube Ø 16, with 2 flared holes 4MA

Length: 310 - 360 mm

Finishing: CL - CO - NS

Pack: 10 pcs



BT12

Glass shelf bracket with disc Ø 30 mm

Round tube Ø 16 with 2 O-rings and disc Ø 25 mm

Length: 260 - 310 - 360 mm

Finishing: CL - CO - NS

Pack: 10 pcs

BT12AK


Glass shelf bracket with disc Ø 30 mm and ring for hanging rail

Round tube Ø 16 with 2 O-rings and disc Ø 25 mm

Length: 260 - 310 - 360 mm

Finishing: CL - CO - NS

Pack: 10 pcs



BT13

Glass shelf bracket

Round tube Ø 16 with 2 O-rings

Length: 260 - 310 - 360 mm

Finishing: CL - CO - NS

Pack: 10 pcs

BT13AK


Glass shelf bracket with ring for hanging rail


Round tube Ø 16 with 2 O-rings

Length: 310 - 360 mm

Finishing: CL - CO - NS

Pack: 10 pcs





BT20

Glass holder


Round tube Ø 16 mm

Glass thickness 8 / 10 mm

Size: Ø 30 x 50 mm

Finishing: CL - CO - NS

Pack: 10 pcs.



BT21


Straight arm with pin

Round tube Ø 16

Length: 160 - 210 - 310 mm

Finishing: CL - CO - NS

Pack: 10 pcs



BT22


Straight arm with disc Ø 30 mm

Round tube Ø 16

Length: 160 - 210 - 310 mm

Finishing: CL - CO - NS


Pack: 10 pcs



BT23

Stepped front arm with pins
Round tube Ø 16


Size: L. 350 x H. 150 mm
Finishing: CL - CO - NS
Pack: 10 pcs



BT30

Sloping arm with 7 balls
Round tube Ø 16


Length: 330 mm
Finishing: CL - CO - NS
Pack: 10 pcs



BT32

Curved arm with 8 balls
Round tube Ø 16



Length: 360 mm
Finishing: CL - CO - NS
Pack: 10 pcs



BT43

Arm with ring for round tube
display bar Ø 25
Round tube Ø 16


Length: 350 mm
Finishing: CL - CO - NS
Pack: 10 pcs



BT42.T

End-metal cap Ø 35
for round tube display bar Ø 25

Finishing: CL - CO - NS
Pack: 20 pcs




BT41

Round display Ø 25 bar
with 2 threaded nuts 8MA

Length: 1000 - 1200 mm
Finishing: CL - CO - NS
Pack: 10 pcs

Display bars



BT50

Oval tube display bar support

For oval tube hanging bar mm 30x15

Finishing: CL - CO - NS

Pack: 10 pcs

Oval tube hanging bar example

Support BT50 - 2 pcs

Oval tube KT1 - 1 pc

End cap KT5 - 2 pcs

Rod arm KB03 - 3 pcs



KT1

Oval tube mm 30x15

Thickness 15/10

Length: mm 1000 - 1200 - 3000

Finishing: CL - CO - NS

Pack: 10 pcs

KT5

End cap for oval tube mm 30x15


Finishing: CL - CO - NS

Pack: 20 pcs



KREMENS

page 2




ROUND BORKIA

page 34



SQUARE BORKIA



LINEAR

page 61



DOGATO

page 74



PRATIKO

page 88



BORKIA QUADRA SPORTELO

New square face-out fitting Borkia BS




BS01

Diecast square face-out fitting with reclining front-cover

Suitable for wooden panel 16 - 20 mm thickness.
The fitting includes a back screw-on lid with 4 flared holes and 4 screws

Size: frame 44 x 46 mm
Finishing: CL - CO - NS
Pack: 20 pcs




Wooden panel drilling

Square hole mm. 37 x 37 , radius 1

Fastening

Pay attention to the position of the reclining front-cover; it must go from up to down.
Fix the fittings on the panel using the screw-on lid with the hook facing down.
Fasten a zinc bar (item code 4620) for wall cupboard to the wall.
Now hang the panel at the zinc bar.



Finishing table



CL = Chrome

CO = Matt chrome


NS = Nickel satin

IS = Stainless steel satin

ZI = Zincked steel



Brackets and supports



BS11

Wooden shelf bracket

Round tube Ø 16, with 2 flared holes 4MA

Length: 310 - 360 mm

Finishing: CL - CO - NS

Pack: 10 pcs

BS11S

Foldaway wooden shelf bracket

Round tube Ø 16

Length: Ø 16 x 180 mm

Finishing: ZI

Pack: 10 pcs



BS11AK

Wooden shelf bracket with ring for hanging rail

Round tube Ø 16, with 2 flared holes 4MA

Length: 310 - 360 mm

Finishing: CL - CO - NS

Pack: 10 pcs

BS12

Glass shelf bracket with disc Ø 30 mm


Round tube Ø 16

with 2 O-rings and disc Ø 25 mm

Length: 260 - 310 - 360 mm

Finishing: CL - CO - NS

Pack: 10 pcs



BS12AK


Glass shelf bracket with disc Ø 30 mm

Round tube Ø 16 with 2 O-rings and disc Ø 25 mm

Length: 310 - 360 mm

Finishing: CL - CO - NS

Pack: 10 pcs



BS13


Glass shelf bracket

Round tube Ø 16 with 2 O-rings

Length: 260 - 310 - 360 mm

Finishing: CL - CO - NS

Pack: 10 pcs



BS13AK

Glass shelf bracket


with ring for hanging rail

Round tube Ø 16 with 2 O-rings


Length: 310 - 360 mm

Finishing: CL - CO - NS

Pack: 10 pcs



Arms and supports



BS21


Straight arm with pin

Round tube Ø 16

Length: 160 - 210 - 310 mm

Finishing: CL - CO - NS

Pack: 10 pcs



BS22


Straight arm with disc Ø 30 mm

Round tube Ø 16

Length: 160 - 210 - 310 mm

Finishing: CL - CO - NS

Pack: 10 pcs



BS23

Stepped front arm with pins


Round tube Ø 16

Size: L. 350 x H. 150 mm

Finishing: CL - CO - NS

Pack: 10 pcs


Arms and supports



BS30

Sloping arm with 7 balls
Round tube Ø 16

Length: 330 mm
Finishing: CL - CO - NS
Pack: 10 pcs



BS32

Curved arm with 8 balls
Round tube Ø 16


Length: 360 mm
Finishing: CL - CO - NS
Pack: 10 pcs




BS43

Arm with ring for round tube
display bar Ø 25
Round tube Ø 16

Length: 350 mm
Finishing: CL - CO - NS
Pack: 10 pcs



Brackets and supports



■ BS20

Glass holder


Round tube Ø 16 mm

Glass thickness 8 / 10 mm

Size: Ø 30 x 50 mm

Finishing: CL - CO - NS

Pack: 10 pcs



■ BS50

Oval tube display bar support

For oval tube hanging bar mm 30x15

Finishing: CL - CO - NS

Pack: 10 pcs

Display bars



BT41

**Round display Ø 25 bar
with 2 threaded nuts 8MA**

Length: 1000 - 1200 mm

Finishing: CL - CO - NS

Pack: 10 pcs

Oval tube hanging bar example

Support BS50 - 2 pcs

Oval tube KT1 - 1 pc

End cap KT5 - 2 pcs

Rod arm KB03 - 3 pcs



KT1

Oval tube mm 30x15
Thickness 15/10

Length: mm 1000 - 1200 - 3000

Finishing: CL - CO - NS

Pack: 10 pcs

KT5

End cap for oval tube mm 30x15

Finishing: CL - CO - NS

Pack: 20 pcs



New square tube accessories for Borkia BS - brackets




■ BSQ11

Wooden shelf bracket

Square tube 20x20 mm,
with 2 flared holes 4MA

Length: 310 - 360 mm
Finishing: CL - CO - NS
Pack: 10 pcs



■ BSQ11AK

Wooden shelf bracket with support for rectangular tube 10x30 mm

Square tube 20x20 mm,
with 2 flared holes 4MA

Length: 310 - 360 mm
Finishing: CL - CO - NS
Pack: 10 pcs



■ BSQ13

Glass shelf bracket

Square tube 20x20 mm,
with 2 suction pads

Length: 260 - 310 - 360 mm
Finishing: CL - CO - NS
Pack: 10 pcs


Arms, brackets and supports



■ BSQ13AK

**Glass shelf bracket
with support for
rectangular tube 10x30 mm**
Square tube 20x20 mm,
with 2 suction pads

Length: 310 - 360 mm
Finishing: CL - CO - NS
Pack: 10 pcs



■ BSQ20

Glass holder
Square tube 20x20 mm,
with suction pad
Glass thickness 8 / 10 mm

Length: 100 mm
Finishing: CL - CO - NS
Pack: 10 pcs




■ BSQT

**Square end cap with standstill
for square tube mm 20x20**

Finishing: CL - CO - NS
Pack: 50 pcs


Arms and supports



BSQ22

**Straight arm
with plate 30x30 mm**
Square tube 20x20 mm

Length: 160 - 210 - 310 mm
Finishing: CL - CO - NS
Pack: 10 pcs



BSQ30

Sloping arm with 7 balls
Square tube 20x20 mm

Length: 330 mm
Finishing: CL - CO - NS
Pack: 10 pcs




BSQ43

**Arm with ring for round tube
display bar Ø 25**
Square tube 20x20 mm



Length: 350 mm
Finishing: CL - CO - NS
Pack: 10 pcs

Display bar




BSQ41
Rectangular display
bar 10x30 mm

Lenght: 000 mm
Finishing: CL - CO - NS
Pack: 10 pcs



BSQ24
T-shape glass shelf bracket
with standstill

Lenght: mm 300x310
Finishing: CL-IS
Pack: 1 pc.



KREMENS

page 2



ROUND BORKIA

page 34



SQUARE BORKIA

page 50



LINEAR



DOGATO

page 74





PRATIKO

page 88



Linear System assembling scheme



Fastening of the base and intermediate panels


Fasten the aluminium profile DL02 with wall-bolts at the bottom of the wall.

Insert the first wooden panel - previously cutted on the edge - to the lower DL02 profile, with the upper DL01 profile already on the top of the panel.

Fasten the aluminium profile DL01 with wall-bolts.
Go on in the same way for the further steps.

Fastening of the top profile

Last step: fasten to the wall the "Z" profile (item code TR.PR/112) and insert the last wooden panel with the DL02 profile already on the top of the panel.





How cutting the edge of the wooden panel

Finishing table

CL = Chrome
CO = Matt Chrome
AA = Silver Anodized


Aluminium profiles 8 mm thickness



DL01

Aluminium profile for wooden panelling, silver-anodized
Glass thickness: mm 8



Lenght: mt 6,0
Finishing: AA
Pack: 4 bars



DL01G

Anti-slip rubber profile for aluminium profiles type DL01 - DL03 - DL04 - DL06 - DL06R - DL07



Finishing: light grey, opal transparent
Pack: 200 mt spool



DL02

Upper / lower aluminium profile for wooden panelling, silver-anodized

Lenght: mt 6,0
Finishing: AA
Pack: 4 bars




TR.PR/112

Hanging bracket for DL02 aluminium profile

Lenght: 300 mm
Finishing: ZI
Pack: 10 pcs

Aluminium profile with inside lighting



DL03AA

Glass thickness: mm 8

The profile applies to wooden panels with cut of any length. The application on the panel by screws is made from the back-side of the panel. The special groove on the socket of the profile allows the insertion of LED bars for the whole length of the profile.

The glass or plexiglass shelf will be lighted, 5 colours available.

Length: mt 6,0

Finishing: AA

Pack: 4 bars





DL03T

End-metal cap for DL03 alu profile

Finishing: VA

Pack: 10 pcs




FASTENING

- 1 - Make a cut of appropriate size on the wooden panel.
- 2 - Insert the profile on the panel with screws.
- 3 - Hang the panel at the wall where you have previously fixed a zinc bar for wall cupboard (item code 4620).


LIGHTING KIT




Application examples



Cut size on wooden panel



Electrical components



DLLED


LED-strip with 10 / 12 leds

Size: 10 leds (0,6 W) lenght 250 mm
12 leds (0,7 W) lenght 300 mm

Colours: white, blu, red*, green*, yellow*

(*) available only L. 250 mm

Pack: 10 pcs




DLAL.1506

Transformer for strip LED

5 WATT - with 4 gates diffuser
15 WATT - with 6 gates diffuser


Pack: 1 pc



DLCA

Connection wire for strip LED - transformer

Lenght: 100 - 200 mm
Pack: 10 pcs




DLINK

Link wire for strip LED



Lenght: 30 mm
Pack: 10 pcs

Arms and brackets 8 mm thickness




- DL11**
Wooden shelf bracket
Round tube Ø 16
with 2 flared holes 4MA

Lenght: 310 - 360 mm
Finishing: CL - CO
Pack: 10 pcs



- DL11S**
Foldaway wooden shelf bracket
Round tube Ø 16

Lenght: Ø 16 x 180 mm
Finishing: ZI
Pack: 10 pcs




- DL21**
Straight arm with pin
Round tube Ø 16

Lenght: 160 - 210 - 310 mm
Finishing: CL - CO
Pack: 10 pcs

- DL22**
Straight arm with disc Ø 30 mm
Round tube Ø 16


Lenght: 160 - 210 - 310 mm
Finishing: CL - CO
Pack: 10 pcs



- DL30**
Sloping arm with 7 balls
Round tube Ø 16

Lenght: 330 mm
Finishing: CL - CO
Pack: 10 pcs

Arms and brackets 8 mm thickness





Vedi pag 46

- DL44**
 Arm with ring for round tube display bar Ø 25
 Round tube Ø 16
 Length: 350 mm
 Finishing: CL - CO
 Pack: 10 pcs



- BT41**
 Round display Ø 25 bar with 2 threaded nuts 8MA

- BT42T**
 End-metal cap Ø 35 for round tube display bar Ø 25




- DL23**
 Stepped front arm with pins
 Round tube Ø 16

Size: L. 350 x H. 150 mm
 Finishing: CL - CO
 Pack: 10 pcs





- DL45**
 Drawers support
 Zinc steel support for drawers

Length: 200 mm
 Finishing: ZI
 Pack: 10 pcs



- DL91**

Aluminium profiles 6 mm thickness



DL06

Aluminium profile for wooden panelling, silver-anodized

Glass thickness: mm 6

Lenght: mt 6,0

Finishing: AA

Pack: 4 bars





DL01G

Anti-slip rubber profile for aluminium profiles type DL01 - DL03 - DL04 - DL06 - DL06R - DL07

Finishing: light grey,
opal transparent

Pack: 200 mt spool



DL06R

Heavy aluminium profile for wooden panelling, silver-anodized

Glass thickness: mm 6

Lenght: mt 6,0

Finishing: AA

Pack: 4 bars





DL01G

Anti-slip rubber profile for aluminium profiles type DL01 - DL03 - DL04 - DL06 - DL06R - DL07

Finishing: light grey,
opal transparent

Pack: 200 mt spool



DL02


Upper / lower aluminium profile for wooden panelling, silver-anodized

Lenght: mt 6,0

Finishing: AA

Pack: 4 bars



Arms and brackets 8 mm thickness



DL0621

Straight arm with pin
Round tube Ø 16



Length: 160 - 210 - 310 mm
Finishing: CL - CO
Pack: 10 pcs



DL0622

Straight arm with disc Ø 30 mm
Round tube Ø 16

Length: 160 - 210 - 310 mm
Finishing: CL - CO
Pack: 10 pcs



DL0630

Sloping arm with 7 balls
Round tube Ø 16

Length: 330 mm
Finishing: CL - CO
Pack: 10 pcs



DL0644



Arm with ring for round tube display bar Ø 25
Round tube Ø 16
Length: 350 mm
Finishing: CL - CO
Pack: 10 pcs

BT41

Round display Ø 25 bar with 2 threaded nuts 8MA

BT42T



End-metal cap Ø 35 for round tube display bar Ø 25



DL07

**Aluminium profile
for wooden panelling**
Glass thickness: mm 10

Lenght: mt 6,0
Finishing: AA
Pack: 4 bars





DL04

**Aluminium profile for
plaster-board**
Glass thickness: mm 10

Lenght: mt 6,0
Finishing: AA - GR
Pack: 4 bars

DL04 assembling scheme


Fasten the aluminium profile DL04 with wall-bolts at a strong support (bricks, concrete, iron structure).
Fasten the plaster-board panels (12 mm thickness) on the two blades of the profile through self-perforating screws.
Pay attention to a correct assembling procedure: the DL04 profile support the whole structural load.



DL07x52

**Aluminium profile without edge
for wooden panelling**
Glass thickness: mm 10

Lenght: mt 6,0
Finishing: AA - GR
Pack: 4 bars





Linear K system

Aluminium vertical uprights with raised front edge and horizontal aluminium profiles for glass panelling and shelving

Vertical glass panel thickness mm 5-6


Horizontal glass shelf thickness mm 6-8



KC31

Vertical / horizontal aluminium profile
for 5-6 mm tks. glass panelling
suitable for KC11, KC12, KC13, DLK6, DLK8



Length: mt 3
Finishing: AA-AN
Pack: 10 pcs.



KC32G

Plastic profile
for 5-6 mm tks. glass panelling

Length: mt 3
Finishing: grey
Pack: 10 pcs.




DLK6

DLK8

Horizontal aluminium profiles
for 6-8 mm tks. glass shelves

Length: mt 3-6
Finishing: AA-AN
Pack: 10 pcs.



DL01G

Anti-slip rubber profile
for aluminium profiles
type DL01 - DL03 - DL04 -
DL06 - DL06R - DL07

Finishing: light grey,
opal transparent
Pack: 200 mt spool

KREMENS

page 2



ROUND BORKIA

page 34



SQUARE BORKIA

page 50



LINEAR

page 61



DOGATO




PRATIKO

page 88



Slatboard aluminium profile




DS01

Aluminium profile for slatboard panel

Lenght: 1200 - 2400 - 4850 mm

Finishing: raw

Pack: 16 bars



DS02


Z-shape aluminium profile for slatboard panels assembly

Lenght: mt 3

Finishing: GR

Pack: 10 pcs.

Slatboard panels



DS00.M10

Square MDF panel 1200 x 1200 x 19


Size: mm 1200 x 1200

Spacing: mm 100

Grooves: 12 (terminal groove on the bottom edge)

Pack: 2 pcs

Confezione: 2 pz.



DS00.M20


Square MDF panel 1200 x 1200 x 19

Size: mm 1200 x 1200

Spacing: mm 200

Grooves: 6 (terminal groove on the bottom edge)

Pack: 2 pcs



DS00V10


Vertical MDF panel 1200 x 2400 x 19

Size: mm 1200 x 2400

Spacing: mm 100

Grooves: 23

Pack: 5 pcs



DS00V15


Vertical MDF panel 1200 x 2400 x 19

Size: mm 1200 x 2400

Spacing: mm 150

Grooves: 15

Pack: 5 pcs



DS00V20

Vertical MDF panel 1200 x 2400 x 19


Size: mm 1200 x 2400

Spacing: mm 200

Grooves: 11

Pack: 5 pcs

Slatboard panels



DS00.V30


Vertical MDF panel 1200 x 2400 x 19

Size: mm 1200 x 2400

Spacing: mm 300

Grooves: 7

Pack: 5 pcs



DS00.V40


Vertical MDF panel 1200 x 2400 x 19

Size: mm 1200 x 2400

Spacing: mm 400

Grooves: 5

Pack: 5 pcs



DS00.O10


Horizontal MDF panel 2400 x 1200 x 19

Size: mm 2400 x 1200

Spacing: mm 100

Grooves: 11

Pack: 5 pcs



DS00.O15


Horizontal MDF panel 2400 x 1200 x 19

Size: mm 2400 x 1200

Spacing: mm 150

Grooves: 7

Pack: 5 pcs



DS00.O20

Horizontal MDF panel 2400 x 1200 x 19


Size: mm 2400 x 1200

Spacing: mm 200

Grooves: 5

Pack: 5 pcs

Slatboard panels



DS00.O30

Horizontal MDF panel 2400 x 1200 x 19

Size: mm 2400 x 1200

Spacing: mm 300

Grooves: 3

Pack: 5 pcs:



DS00.M20

MDF panel 1200 x 2400 x 19

On request it's possible realize various combinations of grooves

Pack: min 10 pcs

MDF panel finishing



540 Silver white



560 Maple




576 Cherry



593 Beech




510 White



527 Satin grey



511 Light grey



520 Magnolia




583 Wenge

Accessories finishing table:


AA = Silver-anodized
 AT = Tansparent acrylic
 CL = Chrome
 OL = Glossy gold
 NS = Nickel satin
 VA = Aluminium painted
 BI = White
 NE = Black

Hooks and blister-holders




DS19A
Frame hook

Finishing: CL
Pack: 10 pcs



DS17
Light weight support


Finishing: CL
Pack: 10 pcs



DS19
Small hook

Finishing: CL
Pack: 10 pcs

Hooks and blister-holders




DS26

Hook Ø 6

Length: 150 - 200 - 250 - 300 mm

Finishing: CL

Pack: 10 pcs




DS26P

Hook Ø 6 with ticket-holder

Length: 235 mm

Finishing: CL

Pack: 10 pcs



KB08


Transparent ticket-holder

Size:

PP1 - 65 x 38 mm

PP2 - 60 x 30 mm

PP3 - 52 x 30 mm



DS29

Dispenser hook

Length: 150 - 200 - 250 - 300 mm

Finishing: CL

Pack: 10 pcs


Arms and supports



DS23

Ball-holder

Finishing: CL
Pack: 10 pcs




DS35

Oval tube sloping arm with 7 balls

Oval tube mm 30x15

Length: 400 mm
Finishing: CL
Pack: 10 pcs




DS28

Straight oval tube arm with pin


Oval tube mm 30x15

Length: 310 mm
Finishing: CL
Pack: 10 pcs



Arms and supports



DS37
Glasses-holder
 Length: 165 mm
 Width: 145 mm
 Finishing: CL
 Pack: 50 pcs




DS27
Bracket Ø 8 with disk
 Length: 310 mm
 Finishing: CL
 Pack: 24 pcs



DS34
Curved arm Ø 6 with 7 balls
 Length: 265 mm
 Finishing: CL
 Pack: 10 pcs

Brackets




DS13

Wooden shelf brackets pair

Length: 200 - 250 - 300 - 350 mm

Finishing: CL

Pack: 10 pairs



DS10


Glass shelf bracket

Oval tube mm 25 x 12

Length: 200 - 250 - 300 mm

Finishing: CL

Pack: 10 pcs



DS41

Aluminium glass shelf support


For glass thickness mm 8

Length: 100 mm

Finishing: AA - VA

Pack: 20 pcs

Hanging bars



DS20

Straight hanging rail
Oval tube mm 30 x 15


Length: 600 - 900 mm
Depth: 300 mm
Finishing: CL
Pack: 1 pc



DS20S

Straight hanging rail supports


Length: 173 mm
Finishing: CL
Pack: 10 pairs



DS43

Hook for "TUCANO 666" bracket
Thickness 25/10

Size: mm 85 x 35
Finishing: VA
Pack: 10 pcs



6152

"TUCANO 666" bracket
For shelf thickness mm 4 - 36

Length: mm 70
Finishing: CL-VA-BI-NE-OL-NS
Pack: 2 pcs

Accessories




■ DS44

Hat support

Length: 290 mm

Finishing: CL

Pack: 50 pcs



■ DS16

Drawer-holder support

Size: mm 43 x 60

Finishing: CL

Pack: 20 pcs




■ DS45

Dividing couple supports

Finishing: CL

Pack: 50 pairs

Acrylic accessories




DS51

Acrylic box

Size: 187 x 187 x 100

Finishing: AT

Pack: 12 pcs



DS50


Acrylic shelf

Size: A = 250 x 100 mm

B = 300 x 150 mm

Finishing: AT

Pack: 72 pcs



DS55

Acrylic shelf with strengthened hedge

Size: A = 400 x 250 mm

B = 620 x 355 mm

Finishing: AT

Pack: 6 pcs


Acrylic accessories



DS52
**Sloping acrylic shelf
with strengthened edge**


Size: A = 580 x 280 mm
B = 200 x 120 mm

Finishing: AT
Pack: 12 pcs



DS53
Acrylic shelf with ticket-holder

Size: A = 290 x 100 mm
Finishing: AT
Pack: 72 pcs




DS54
A4 acrylic box

Size: A = 280 x 230 x 70 mm
Finishing: AT
Pack: 6 pcs

KREMENS

da pag. 2



ROUND BORKIA

page 34



SQUARE BORKIA

page 50




LINEAR

page 61





DOGATO

page 74



PRATIKO





PR02S


Single slot wall upright

Size section: 12 x 16 x 12 mm

Height: 2500 mm

Finishing: alu grey / white

Pack: 10 pairs



PR02D


Double slot wall upright

Size section: 12 x 25 x 12 mm

Height: 2500 mm

Finishing: alu grey / white

Pack: 10 pairs



PR01D


Double slot wall upright

Size section: 24 x 30 x 24 mm

Height: 2500 mm

Finishing: alu grey / chrome

Pack: 8 pcs



PR03

Column 60 x 30 mm

Rectangular column 60 x 30 x 2 mm
Double slotted on two sides
wide side slots

Height: 2515 - 2915 mm

Finishing: alu grey

Pack: 10 pcs



PR04

"L" shelving stand 60 x 30 mm

Rectangular tube 60 x 30 x 2 mm
with base leg
Double slotted on two sides
wide side slots

Height: 2515 mm

Depth: 430 mm

Finishing: alu grey

Pack: 10 pcs



PR05

"T" gondola stand 60 x 30 mm



Rectangular tube 60 x 30 x 2 mm
with base leg
Double slotted on two sides
wide side slots

Height: 1500 mm

Depth: 800 mm

Finishing: alu grey

Pack: 10 pcs



PR06


Square column 30 x 30 mm, spacing 50 mm

Double slotted on two sides
Height: 3000 mm
Finishing: alu grey
Pack: 10 pcs

PR19

Assembling kit for square column 30 x 30 mm

Base plate + tube insert + adjustable ceiling mount
Finishing: alu grey
Pack: 10 pcs



PR07



Plug-in connection bar

Allows the connection between two columns/stands type PR03-PR04-PR05
Length: 595 - 970 - 1220 mm
Finishing: alu grey
Pack: 20 pcs

PR14SC

Safety clip for plug-in connection bar



For double slotted columns / stands
Finishing: transparent plastic
Pack: 100 pcs



PR11

Lower riser for bottom shelf


Length: 595 - 970 - 1220 mm
Finishing: alu grey
Pack: 10 pcs



PR12

Top profile for gondola stand

Length: 595 - 970 - 1220 mm
Finishing: alu grey
Pack: 10 pcs




PR15R

Wall distance holder, adjustable

For double slotted columns / stands

Size: A = 50 / 75 mm
B = 80 / 115 mm

Finishing: alu grey
Pack: 10 pcs





PR15F

Wall distance holder, rigid

For double slotted columns / stands

Finishing: alu grey
Pack: 10 pcs





PR14.8/19

Back panel clip L. 50 mm

Suitable for 8 mm panel thickness up to 19 mm

Finishing: transparent plastic
Pack: 100 pcs




PR14U


Universal rear panel clip

Suitable for 4 mm panel thickness up to 22 mm

Finishing: transparent plastic
Pack: 100 pcs



Per schienali tipo PR31




Per schienali sp. 18/19 mm

PR16A

Rear hook for wooden panel

Finishing: thickness 10 mm, zinc
thickness 19 mm, alu grey
Pack: 20 pcs



PR16C1

PR16C2



PR16C1

Lateral hook for column 60x30 mm


PR16C2

Lateral hook with recess for column 60 x 30 mm

For double slotted columns / stands
Finishing: alu grey
Pack: 10 pcs



Montare il pannello in battuta con il clip distanziatore, il pannello a filo senza il clip distanziatore fra le piantane.



PR16B


Rear hook for plug-in connection bar



Finishing: zinc
Pack: 50 pcs

PR18

Distance clip

For plug-in connection bar
Finishing: black plastic
Pack: 100 pcs







PR17

Base plate 60 x 30 mm



For double slotted columns 60 x 30 mm
Finishing: zinc
Pack: 10 pcs



PR13C

End-cap for column mm 60 x 30 mm

Finishing: grey plastic
Pack: 50 pcs



PR13T

**Zinc diecast tube insert
for column mm 60 x 30 mm**

For double slotted columns 60 x 30 mm
With M10 thread

Finishing: zinc
Pack: 10 pcs



PR13S

**Adjustable ceiling mount
with plastic disc Ø 45 mm**


For use with M10 thread
Finishing: grey plastic / zinc
Pack: 50 pcs



PR13B

Leveller with plastic disc Ø 45 mm


For use with M10 thread
Finishing: grey plastic / zinc
Pack: 50 pcs



■ PR40

**Shelf brackets in pair,
adjustable inclination**
Load capacity: 55 kg

Lenght: 280 - 380 mm
Finishing: alu grey / chrome
Pack: 50 pairs



■ PR44

Glass shelf brackets th. 8 / 10 mm in pair
Thickness: 8 - 10 mm

Finishing: alu grey
Pack: 10 pairs



■ PR45

**Glass shelf brackets
with O-ring th. 8 mm in pair**
Thickness: 8 - 10 mm


Finishing: alu grey
Pack: 10 pairs



■ PR46

Angle brackets, surface mounted, in pair
2 lugs for lenghts 180 / 380 mm
3 lugs for lenght 480 mm
Load capacity: 55 kg for lenghts 180/380 mm
Load capacity: 65 kg for lenght 480 mm

Lenght: 180 - 230 - 280 - 330 - 380 mm
Finishing: alu grey
Pack: 10 pairs




PR47

Adjustable brackets, surface mounted, in pair

With 2 lugs and one adjustable arm
Load capacity: 55 kg

Length: 300 mm
Finishing: alu grey
Pack: 10 pairs



PR50


Straight hanging rail

Length: 621 - 996 - 1246 mm
Depth: 250 - 350 mm
Finishing: alu grey / chrome
Pack: 10 pcs

PR50.01

Shelf support for straight hanging rail

Finishing: alu grey / chrome
Pack: 4 pcs



PR52

Support mm 320 for oval tube mm 30 x 15

Finishing: alu grey / chrome
Pack: 10 pcs



KT1

Oval tube mm 30 x 15 x 3000

Length: 1000 - 1200 - 3000 mm
Finishing: alu grey / chrome
Pack: 10 pcs

KT5

End-cap for oval tube mm 30 x 15


Finishing: alu grey / chrome
Pack: 10 pcs



PR53

Adherent hanging bar


Length: 621 - 996 - 1246 mm
Finishing: alu grey / chrome
Pack: 10 pcs



PR53S

Pair of support brackets for hanging bar mm 30x15 (KT01) Expansion-cylinders to fasten the oval tube.

Length: mm 50
Finishing: alu grey / chrome
Pack: 10 pairs



PR53F


Central support for hanging bar mm 30x15 (KT01)

Length: mm 50
Finishing: alu grey / chrome
Pack: 10 pcs



68.0250.9


Anti-drift cylinders



PR51

Rod arm Ø 10 mm with disc


Length: 250 - 300 - 350 mm
Finishing: alu grey / chrome
Pack: 10 pcs



PR55

**Straight arm with pin
for oval tube 30 x 15 mm**
Oval tube 30 x 15 mm

Length: 380 mm
Finishing: alu grey / chrome
Pack: 10 pcs



PR56

**Sloping arm with pins
for oval tube 30 x 15 mm**
Oval tube 30 x 15 mm


Length: 380 mm
Finishing: alu grey / chrome
Pack: 10 pcs



PR54

Single straight hook Ø 6 mm

Length: 200 - 250 - 350 mm
Finishing: alu grey / chrome
Pack: 10 pcs



KB57

Stepped arm for oval tube 30 x 15 mm
Oval tube 30 x 15 mm

Length: 380 mm
Height: 150 mm
Finishing: chrome
Pack: 5 pcs



PR58


Straight arm for upright

Oval tube 30 x 15 mm

Length: 380 mm

Finishing: alu grey / chrome

Pack: 10 pcs



PR65

Shelf frame for perforated metal shelf


Load capacity: 50 kg

Length: 621 - 996 - 1246 mm

Depth: 370 mm

Finishing: alu grey / chrome

Pack: 2 pcs



PR66


Perforated metal shelf for shelf frame

Length: 614 - 989 - 1239 mm

Depth: 339 mm

Finishing: alu grey / chrome

Pack: 2 pcs



PR66S

Clip for glass shelves for shelf frame
For placing glass shelves 8 mm th.


Finishing: transparent plastic
Pack: 20 pcs



PR67

Compartment trims perspex for shelf frame



Length: 625 - 1000 - 1250 mm
Height: 75 mm
Finishing: transparent plastic
Pack: 10 pcs



PR67.D

Dividers perspex for shelf frame


Length: 300 - 370 - 470 mm
Height: 75 mm
Finishing: transparent plastic
Pack: 10 pcs



PR30

Round column Ø 60 mm
Double slotted on four sides


Height: 2610 mm
Finishing: alu grey
Pack: 10 pcs



PR31

Decorative column end, inclined
Fits into round column Ø 60 mm

Height: 100 mm (visible)
Finishing: alu grey
Pack: 10 pcs



PR32T


End cap
For round column Ø 60 mm

Finishing: grey plastic
Pack: 10 pcs

PR32B

Base plate, plug-in
For round column Ø 60 mm



Finishing: alu grey
Pack: 10 pcs



PR33

Round holes base leg
For round column Ø 60 mm

Length: 330 mm
Finishing: alu grey
Pack: 10 pcs



PR34

Glass shelf brackets for intermediate joint

For round column Ø 60 mm

Lenght: 300 mm
Finishing: alu grey
Pack: 2 pcs





66VENT.

Suction pad Ø 14 mm

For placing under glass shelves

Size: Ø 14 x H. 4 mm
Finishing: transparent
Pack: 100 pcs




PR37

Connection bar with 2 loose hooks

Rectangular tube 60 x 20 x 2 mm

Lenght: 565 - 940 mm
Finishing: alu grey
Pack: 2 pcs



PR15F.310

Wall distance long holder, rigid

Round tube Ø 30 mm
for double slotted columns

Lenght: 310 mm
Finishing: alu grey
Pack: 2 pcs